

HANSA CARE 2255

Modified organosiloxane as an ingredient for Home and Car Care.

Description

The permanently cationic charge makes these polymers excellently suited for a use as spray wax or rinse-off wax. Moreover, silicone quats may work as boosters for other substances which can then be distributed more easily on the surface.

Key Features

- Water repellency, Sheeting effect
- Cleansing effect
- Enhances gloss and color depth
- Smoothness

Key Applications

- Car Care
- Rinse Aid Formulations
- Sanitary Cleaners

Application

HANSA CARE 2255 can be used as wax additive in car shampoos, sanitary cleaners or toilet cleaners. By adding HANSA CARE 2255, a beading effect as well as an easy-to-clean effect on glass, porcelain, varnish, plastics, metal and chrome is achieved. Moreover, it is suited for formulating gloss driers, spray waxes and for "waterless car wash" products.

Health & Safety

Safety Data Sheets available on request.

Packaging

Drums and bulk containers. Please contact our sales department for more information.

Revision Date 29 Apr 2021
Revision No 1
Download Date 14 May 2024

Property

Product

Appearance

Chemistry

Ionicity

MIT Free

Non-Volatile Content (%)

Ultralow cyclic content

Viscosity

Addition Rates

Dosage - 1

Dosage - 2

Dosage - 3

Storage

Max Storage Temperature

Min Storage Temperature

Shelf Life

Test

Method

Value

Colourless to yellowish liquid

Quaternary modified organosiloxane

Cationic

Yes

Approx. 70

Yes

Brookfield 100 – 300 cP

1.0 – 5.0% in waxes

2.0 - 10.0% in rinse aid formulations

0.5 - 5.0% in cleaners / shampoos

40 °C / 104 °F

4 °C / 39 °F

6 mths

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet. CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany
Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com