

## HANSA CARE 9070 Modified siloxane as an ingredient for Home and Car Care.

### Description

The silicone hybrids are special silicone polymers combined with the organic polymer chemistry. Therefore it is possible to create with these polymers unique and outstanding effects in home-, fabric- and car care products.

### Key Features

- Hydrophilicity
- Softness
- Easy ironing
- Anti-static effect

### Key Applications

- Fabric Care

### Application

HANSA CARE 9070 is suited as raw material for formulating care products for textiles, e.g. softeners.

### Use and Cure Information

Stir before use.

### Health & Safety

Safety Data Sheets available on request.

### Packaging

Drums and bulk containers. Please contact our sales department for more information.

### Property

#### Product

Appearance

Chemistry

Ionicity

MIT Free

Non-Volatile Content (%)

Ultralow cyclic content

pH (10% solution)

#### Addition Rates

Dosage - 1

#### Storage

Max Storage Temperature

Min Storage Temperature

Shelf Life

### Test

#### Method

### Value

Colorless to yellow liquid

Concentrated emulsion of a silicone polymer

Non-ionic

Yes

Approx. 75

Yes

Approx. 7

0.5 – 2.5% in softeners

60 °C / 140 °F

4 °C / 39 °F

12 mths

Revision Date 29 Apr 2021  
Revision No 1  
Download Date 14 May 2024

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet. CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

**CHT Germany GmbH:** Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany  
Telephone: 07071/154-0, Fax: 07071/154-290, Email: [info@cht.com](mailto:info@cht.com), Homepage: [www.cht.com](http://www.cht.com) / [www.cht-silicones.com](http://www.cht-silicones.com)